





A MODERN ALTERNATIVE TO TRADITIONAL BLINDS.

Blink Blinds + Glass is a blinds-between-glass IG panel for doors and windows.

MEET BLINK

Building upon our 70-year history of developing IG panels for doors, ODL continues to innovate in the blinds-between-glass category, where we have been the industry leader for over 20 years. Our industry relationships led us to discover that manufacturers, builders and homeowners wanted a simple solution that addressed and solved concerns about the safety, cleaning, and lack of ease associated with traditional blinds. That's why ODL created a modern alternative to traditional blinds.

Our most recent product innovation, Blink Blinds + Glass, allows for custom sizes and colors in as few as eight days, with the quality, reliability, and warranty you've come to expect from ODL. Homeowners and window manufacturers can rely on Blink Blinds + Glass for designs and options to fit every home.

Safety is a top priority for most consumers, and Blink Blinds+Glass proudly boasts certifications from two industry-leading child safety organizations. Best for Kids™ and Parents for Window Blind Safety™ advocate for cordless window coverings and educate consumers on products which greatly reduce or completely eliminate the risk of injury to children and pets.

Our goal is to provide quality products that improve your everyday life. In addition to a 10-year full replacement, Blink offers the color options and configurations needed to compliment any architectural style. With Blink Blinds + Glass the possibilities are endless!







BLINDS + GLASS



PRODUCT FEATURES:

- Raise, lower, and tilt blinds
- Symmetric privacy channels
- Streamlined Single Operator Design Top Center
- 1/8" Tempered or Annealed glass
- Low-E options Single: 270, 272, 340, 366
 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/366
- 10-year full warranty

AVAILABLE COLORS:

OPERATOR:



PROGRAM DETAILS:

- Dimensions -
 - 15-54" wide
 - 12-41" tall
 - 7/8" thick
- Tempered or Annealed Glass up to 9 sq ft (single operator)
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:

US: 7 business days + transit | Canada: 9 business days + transit

Tempered Shipping Lead Times:

US: 12 business days + transit | Canada: 14 business days + transit


BLINK BLINDS SIZE RANGE[‡]

RLT-TOP

■ ANNEALED AND TEMPERED

Single Operator

Max 9 sq ft (no more than 36" in one direction) Operator Location Top Center



WIDTH

‡ 1/16" increments


RLT-TOP

LADDER CORDS PER GLASS SIZE

Single Operator

Max 9 sq ft (no more than 36" in one direction)
Operator Location Top Center

- 2 Ladder Cords
- 4 Ladder Cords
- 3 Ladder Cords
- 5 Ladder Cords



WIDTH

‡ 1/16" increments









PRODUCT FEATURES:

- Blinds with tilt operation
- Symmetric privacy channels
- Streamlined operator design located in the top right corner
- 1/8" Tempered or Annealed glass
- Low-E options: Single: 270, 272, 340, 366 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/366
- 10-year full warranty

AVAILABLE COLORS:







ESPRESSO



GRAY

MOON



OPERATOR:





0.629" thickness

PROGRAM DETAILS:

- Dimensions -
 - 8 54" wide
 - 12 68" tall
 - 7/8" thick
- Tempered or Annealed glass up to 9 sq ft
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:
 - US: 7 business days + transit | Canada: 9 business days + transit
- Tempered Shipping Lead Times:
 - US: 12 business days + transit | Canada: 14 business days + transit

BLINK BLINDS SIZE RANGE[‡]









blink 1" Custom

BLINDS + GLASS



PRODUCT FEATURES:

- Ideal for both doors and windows (casement, fixed sliding, and awning).
- High or low operator position above 30" height
- Left- or right-hand operator
- Low-E options: Single: 270, 272, 340, 366
 Dual: 189/270, 189/272, 189/340, 189/366
- Glass coating: NEAT 270, 366, 189/270, 189/340, 189/366
- 10-year full warranty

AVAILABLE COLORS:







OPERATOR:

SLATE

SILVER MOON


SAND


0.539" thickness

PROGRAM DETAILS:

- Dimensions -
 - 8.625-80" wide⁺
 - 13-80" tall
 - 1" thick
- Tempered glass up to 17 sq ft (above 12 sq ft dual operator)
- Annealed glass up to 15 sq ft (single operator)
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Annealed Shipping Lead Times:
 - US: 7 business days + transit | Canada: 9 business days + transit
- Tempered Shipping Lead Times:
 - US: 12 business days + transit | Canada: 14 business days + transit

BLINK BLINDS SIZE RANGE[‡]





⁺Widths below 10" will have an asymmetrical design







blink, 1" Classic

BLINDS + GLASS

PRODUCT FEATURES:

- Raise, lower, and tilt blinds
- Streamlined dual left-hand/right-hand operator design
- Low-E options: Single: 270, 272, 340, 366

Dual: 189/270, 189/272, 189/340, 189/366

• 10-year full warranty

AVAILABLE COLORS:



WHITE

OPERATORS:

Classic




0.667" thickness

Low-Profile



0.438" thickness

BLINK "CLASSIC" SIZE RANGE*



PROGRAM DETAILS:

- Dimensions: 14-36" wide 42-80" tall 1" thick
- Tempered glass only up to 17 sq ft
- Custom size increments 1/16" (height & width)
- Minimum Quantity: 1
- Tempered Shipping Lead Times:

US: 12 business days + transit | Canada: 14 business days + transit

IG PANEL PROGRAM 7/8" RLT-Top 7/8" Tilt 1" Custom 1" Classic **DETAILS:** 14"- 36" wide 8.625" - 80" wide **IG WIDTH RANGES** 15 - 54" wide 8 - 54" wide 42 - 80" tall 13 - 80" tall **IG HEIGHT RANGES** 12-41" tall 12 - 68" tall 7/8" thick 7/8" thick 1" thick 1" thick **IG THICKNESS** 9 17 MAXIMUM SQUARE FEET Tempered glass - up to 17 sq ft Tempered glass only **GLASS TYPE** Tempered and Annealed Tempered and Annealed (above 12 sq ft dual operator) (dual operator) (single operator) (single operator) Annealed glass - up to 15 sq ft (single operator) Single: 270, 272, 340, 366 **LOW-E OPTIONS** Dual: 189/270, 189/272, 189/340, Dual: 189/270, 189/272, 189/340, Dual: 189/270, 189/272, 189/340, Dual: 189/270, 189/272, 189/340, 189/366 189/366 189/366 189/366 **GLASS COATING** NEAT: 270, 366, 189/270, 189/366 NEAT: 270, 366, I89/270, I89/366 NEAT: 270, 366, 189/270, 189/366 Operator is located in the upper **OPERATOR OPTIONS** Operator is located in the High or low operator position* Classic design: top center of IG only. right corner of IG only. Left- or right-hand operator 0.667" thickness Streatmlined design Streatmlined design Streatmlined design Low Profile design: 0.512" thickness 0.629" thickness 0.539" thickness 0.438" thickness **BLIND COLOR** White, Tan, Sand, Espresso, White, Tan, Sand, Espresso, White, Tan, Sand, Espresso, White Silver Moon, Slate Gray Silver Moon, Slate Gray Silver Moon, Slate Gray MINIMUM QUANTITY Low-E:1 Low-E:1 Low-E:1 Low-E:1 CL/CL:1 CL/CL:1 CL/CL: 1 CL/CL:1 WORKING DAYS Tempered: 12 business days + transit* Annealed: 7 business days + transit* Annealed: 7 business days + transit* Annealed: 7 business days + transit* TO DELIVER Tempered: 12 business days + transit* Tempered: 12 business days + transit* Tempered: 12 business days + transit* 10-YEAR FULL WARRANTY * Above 30" in height



US Only.



+ Widths below 10" will have an asymmetrical design.

Canada: Annealed – 9 business days + transit Tempered – 14 business days + transit









See size chart for limitations

